

AMIKO MULTITRACKER 3 DVBS2/T2/C



Ocjena: Nije još ocijenjeno

Cijena

Cijena: 430,00 €

[Postavite pitanje o ovom proizvodu](#)

Opis

https://www.amikohome.com/api/file/f/573/webleaflet_eng_amiko_multitracker_3-pdf

5 inch(12.7CM) AMOLED color display.

Support DVB-S/S2/DVB-T/T2/DVB-C/C2

TS Demux: Standard followed ISO/IEC 13818-1

Video Decoding: MPEG4, MPEG4-AVC/H.264 and H.265/HEVC High [Tier@Level4.1](#), MPEG2 ISO/IEC 13818-2 [MP@HL/ML>](#)

[Audio Decode: MPEG1, MPEG2 ISO/IEC 13818-3 LAYER I&II.](#)

[LNB short-circuit protection and indicator.](#)

[Extremely fast and accurate with high sensitivity.](#)

[Database editable by user easily.](#)

[Signal lock audible notification.](#)

[USB connection for Firmware updated, data log and screen capture.](#)

[Database can be edited on PC and downloaded by USB port.](#)

[Power-supply 100-240V/50/60Hz 12V, 2000mA.](#)

[Ultra-long standby, low power consumption.](#)

[Li-ion battery 7.4V / 5000 mA with Fast charging](#)

[High quality housing made of aluminum](#)

[MORE FEATURES](#)

[Tuner & Demodulation](#)

[Satellite](#)

[DVB-S/S2](#)

[Power LEVEL, CBER, VBER\(DVBS\) , LBER\(DVBS2\), and CNR display.](#)

[Real time Spectrum-Analyzer and transponder message detected](#)

[Constellation diagram](#)

[Angle calculation of azimuth and elevation.](#)

[Azimuth and elevation measurement.](#)

[Power, dBm, CNR, BER, Modulation mode display.](#)

[DisEqC1.0, DisEqC1.1, DisEqC1.2, USALS, SCD and SCR2 supported.](#)

[Auto DiSEqC identification for DisEqC1.0.](#)

[Cable identification at Quattro LNB easily](#)

[Auto Satellite identification.](#)

[LNB Current and Voltage monitor](#)

[Terrestrial](#)

[DVB-T/T2](#)

[Power LEVEL, CBER, VBER\(DVBT\) , LBER\(DVBT2\), and MER display.](#)

[Spectrum analyzer](#)

[Constellation](#)

[Signal identification : DVB-T/T2 Automatic](#)

[Scope display for multi-channels](#)

[Cable](#)

[DVB-C/C2](#)

[Power LEVEL, CBER, PER\(DVBC\), LBER\(DVBC2\), and MER display.](#)

[Tilt Display](#)

[Spectrum analyzer](#)

[Constellation](#)

[Tilt display for three channels](#)

[Power](#)

[Power Supply: 100-240V \(50/60Hz\) AC in / 12V/2000mA out](#)

[Fast Charging](#)

Recenzije

Trenutno nema recenzija za ovaj proizvod.